# MW10/MW11

## Low cost digital photometers to measure Free & Total Chlorine

Chlorine is the most commonly used water disinfectant. Applications vary from treatment of drinking water and wastewater to pool and spa sanitization and food processing to sterilization.

Milwaukee offers 2 models:

MW-11

ppm

MW10 for measuring free chlorine (0.00 to 2.50 mg/L) and MW11 to measure total chlorine (0.00 to 3.50 mg/L).

#### Key features include:

- User friendly;
- Smaller & Ergonomic case design;
- Inexpensive;
- Larger and Easier to read Display;
- Good accuracy and immediate results;

Specifications	MW10 Free chlorine	MW11 Total chlorine			
			Range	0.00 to 2.50 ppm	0.00 to 3.50 ppm
			Resolution	0.01 ppm	0.01 ppm
Accuracy (@25°C)	±0.03 ppm ±3% of reading	±0.03 ppm ±3% of reading			
Typical EMC Dev.	±0.01 ppm	±0.01 ppm			
Light Source	Light Emitting Diode @ 525 nm	Light Emitting Diode @ 525 nm			
Light Detector	Silicon Photocell	Silicon Photocell			
Method	Adaptation of USEPA method 330.5. The reaction between free chlorine and the DPD reagent causes a pink tint in the sample.	Adaptation of USEPA method 330.5. The reaction between free chlorine and the DPD reagent causes a pink tint in the sample.			
Environment	0 to 50°C (32 to 122°F) max. 95% RH non-condensing	0 to 50°C (32 to 122°F) max. 95% RH non-condensing			
Battery Type	1 x 1.5V AAA	1 x 1.5V AAA			
Auto-off	after 2 minutes of non use	after 2 minutes of non use			
Dimensions	81.5 x 61 x 37.5 mm (3.2 x 2.4 x 1.5")	81.5 x 61 x 37.5 mm (3.2 x 2.4 x 1.5")			
Weight	64 g (2.25 oz.)	64 g (2.25 oz.)			

MW-10



They are supplied with 2 cuvets, 6 reagents, a battery and instruction manual.



#### **Accessories**

Mi526-25 Free Chlorine powder reagent, (25 pcs)
Mi524-25 Total Chlorine powder reagent (25 pcs)



Mi0011 Mi0013 Glass cuvets (2 pcs) Stoppers for cuvets (2 pcs)

### Ordering information:

All handy photometers are supplied in a carton box including 2 cuvets, 6 powder reagents, 1 x 1.5 V AAA battery and instructions.